Ministry of Forests and Soil Conservation
REDD Implementation Centre

Develop National Database of Basic Attributes of all Forest Management Regimes and Develop National REDD+ Information System or Registry

Contract No: (FCPF/REDD/S/QCBS-24)

Technical Working Document n. 11 to Final Report

User Manual

Online GIS Platform

April 2016

Authors:

Ashwin Dhakal
Gehendra Karki

AGRICONSULTING S.p.A.

PROMPT Infosolutions Pvt. Ltd.

The contents of this publication are the sole responsibility of

Agriconsulting S.p.A and Prompt Infosolutions and can in no way be taken to reflect the views of the Nepal Ministry of Forests and Soil Conservation,

REDD Implementation Centre

This publication is a property of the Nepal REDD Implementation Centre and is part of the Nepal REDD Readiness Preparation Program funded by the World Bank.

We would like to thank the whole staffs of Ministry of Forests and Soil Conservation, Department of Forests, Department of Wildlife and National Parks, REDD Implementation Centre, Western Regional Forest Directorate, District forest offices of Western Region and Members of REDD Technical committee in particular:

Mr. Man Bahadur Khdaka, Joint Secretary REDD Implementation Centre

Mr. Rajendra Kafle, Under Secretary REDD Implementation Centre;

Mr. Mohan Prasad Poudel, Under Secretary REDD Implementation Centre;

Mr. Narendra Chand, Under Secretary REDD Implementation Centre;

Mr. Kiran Dangol, Under Secretary Ministry of Forests and Soil Conservation;

Mr. Gopal Prakash Bhattarai; Under Secretary, Department of Wildlife and National Parks;

Mr Shiva Khanal, Under Secretary Department of Forest Research and Survey

Mr. Yogendra Karna, Under Secretary Department of Forests;

who provided insight and expertise that greatly assisted the project.

Table of Contents

1 Viewing map layers 2
1.1 Adding and Uploading spatial data 4
1.2 Querying 6
1.3 Measuring tool 7
1.4 Styling 7
2 Adding GPS points 10
2.1 Single co-oridinates 10
2.2 Multiple co-ordinates for boundary 12
2.3 uploaded in PostGIS 16

User Manual Steps for Accessing Online GIS [1]

[1] Detailed user manual with defined address will be updated when the system fully operationalize and installed pubic.

1 Viewing map layers

Interface of NFD/NFIS Mapping Portal. It can be open click GIS menu of main page of NFD/ NFIS portal.

Menus and Icons are arranged on left and top of the intrface.



Click left pane to see desired map. Thre are different on top of each interface for

- Selecting layers
- Panning
- Zoom in and Zoom out
- Legend

Select check box to visualize required layer.



Can be selected multiple layers and background layer.





Maps with Google background

1.1 Adding and Uploading spatial data

For uploding existing shape file click add button on the menu. It will require user authontication to upload.



Fig login interface



Browse the required file and click upload.



Click option to select workspace, data store and reference system.

1.2 Querying

Querying is possible providing different search criteria. Select the layer to query and provide required query statement. You can query morethan one condition. To select multiple condition select add condition.



1.3 Measuring tool

You can measure area, length of map online. Click measuring tool

1.4 Styling

To change color and text automated styling tool is available. Select fefault style to view the the current style. Click edit icon to change the current style.

On display section you can change opacity so that you can see underlaying layers when they are overlapped.



Adding baselayers and remote servers. You can select Google, Bing and other baselayers. If you have other Geoserver location you can add the Remote Geoserver layers in your current map interface.



Exporting Map layers in other formats pdf, jpeg, kml and shape file. Log on the geoserver main page and select layser preview. On view drop down menu select the desired format. While clicking it automatically downloads the required format of map.


202.45.144.208:8080/geoserver/web/?wicket:bookmarkablePage=:org.geoserver.web.demo.OpenGeoMapPreviewPage
GeoServer
Username
Password
Remember me
Login
Layer Preview
List of all layers configured in GeoServer and provides previews in various formats for each.
About & Status
About GeoServer
Data
Layer Preview
Demos
Powered by Boundless
Results 51 to 62 (out of 62 items)
Search
Type
Name
Title
View
geo:mrv_national-av1mai_geot
mrv_national-av1mai_geot
seamn:mrv_national-wisd_cell_balance
mrv_national-wisd_cell_balance
geo:mrv_national-wisd_comm_balance
mrv_national-wisd_comm_balance
geo:mrv_national-wisd_comm_har_sust
mrv_national-wisd_comm_har_sust
geo:mrv_national-wisd_demand
mrv_national-wisd_demand
geo:mrv_national-wisd_local_balance
mrv_national-wisd_local_balance
mrv:ludhi_study_area
Ludhi study area
mrv:ludhi_forest_strata
Ludhi forest Strata
mrv:ludhi_dense_p_plots
ludhi dense plots
mrv:lc_national_parks
LC national park
mrv:kaay_study_area
kaay study area
seamn
seamn
OpenLayers
Go
Applications
OpenLayers
Google Earth
GeoExplorer
WMS Formats
AtomPub
GeoRSS
GeoTiff
GeoTiff 8-bits
GIF
JPEG
KML (compressed)
KML (network link)
KML (plain)
openplayers
PDF
PNG
PNG 8bit
SVG
Tiff

2 Adding GPS points

Mostly forest boundaries are measured by using GPS survey. This GPS data are require processing to create boundary and it requires GIS skills and software. NFDNFIS has developed interface that it can be uploaded GPS points in the center database. It automatically makes GPS location on map .

2.1 Single co-oridinates

For individual GPS point click GPS point on left pane and it will show data input form where you can enter X and Y. The generate maps can be visualize in desktop QGIS or online in NFDNFIS Mapping portal.





	Actions	Id	Sn	Cfug Name	X	Y
	View Edit Delete Copy	1	1	TAN/BI/13/2	507,158.0000	3,096,404.0000
	View Edit Delete Copy	2	2	TAN/BI/13/2	507,097.0000	3,096,403.0000
	View Edit Delete Copy	3	3	TAN/BI/13/2	507,040.0000	3,096,450.0000
	View Edit Delete Copy	4	4	TAN/BI/13/2	507,016.0000	3,096,529.0000
	View Edit Delete Copy	5	5	TAN/BI/13/2	506,950.0000	3,096,650.0000
	View Edit Delete Copy	6	6	TAN/BI/13/2	506,875.0000	3,096,625.0000
	View Edit Delete Copy	7	7	TAN/BI/13/2	506,831.0000	3,096,546.0000
	View Edit Delete Copy	8	8	TAN/BI/13/2	506,741.0000	3,096,552.0000
	View Edit Delete Copy	9	9	TAN/BI/13/2	506,750.0000	3,096,498.0000
	View Edit Delete Copy	10	10	TAN/BI/13/2	506,789.0000	3,096,483.0000
	View Edit Delete Copy	11	11	TAN/BI/13/2	506,806.0000	3,096,408.0000
	View Edit Delete Copy	12	12	TAN/BI/13/2	506,851.0000	3,096,390.0000
	View Edit Delete Copy	13	13	TAN/BI/13/2	506,958.0000	3,096,335.0000
	View Edit Delete Copy	14	14	TAN/BI/13/2	507,083.0000	3,096,248.0000
	View Edit Delete Copy	15	1	TAN/BI/30/10	509,534.0000	3,088,141.0000

2.2 Multiple co-ordinates for boundary

For complete boundary you can add all point once (Starting and Ending Point) . It require reference system and it crates forest boundary .





Points entered and automatic mapping code generated by the application



CFUG boundaries viewed on QGIS



Database of western region Districts GPs point.





CFUG boundaries created entered GPS points



2.3 uploaded in PostGIS